

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial Number: 10/786,197
Filing Date: 02-25-2004
Patent Number: 7,295,944
Issue Date: 11-13-2007
Confirmation Number: 3689
Applicant: Gregory W. Morton, *et al.*
Title: Cross-calibration of plant instruments with computer data
Docket Number: 06024-UPA
Examiner: Michael P. Nghiem
Art Unit: 2863
Customer Number: 56758

REQUEST TO CORRECT
MAINTENANCE FEE CORRESPONDENCE ADDRESS

Mail Stop Amendment
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants request that the Office correct the correspondence address for fee purposes. Upon payment of the first maintenance fee, applicants noticed that the PTO records show that the address for fee purposes has been changed without the authorization of the patent owner. The PTO records shows the following for the address for fee purposes:

Elaine Venturelli
IBM Intellectual Property Law Department
3039 Cornwallis Road
Internal Address YXSA/B002
Research Triangle Park, NC
27709

Applicants have not authorized the address to be changed to Elaine Ventrulli. Applicants believe such change was most likely due to an Office error and hereby request correction.

Submitted herewith are a Patent Change of Correspondence Address form and Statement Under 3.73(b).

Respectfully submitted,

/Thomas A. Kulaga/

Thomas A. Kulaga
Registration No. 46,844

Knox Patents: Kulaga Law Office, PLLC
P.O. Box 30034
Knoxville, Tennessee 37930-0034
865-470-4212
tkulaga@knoxpatents.com